

REMARKS

Claims 1, 2, 4 – 18, and 20 - 23 remain in the present application.

Claim Objections

Applicant has amended Claim 4 to depend from Claim 2 instead of cancelled Claim 3.

Applicant respectfully asserts Claim 10 does recite the steps of the method. In order to further indicate Claim 10 is directed to a method Applicant has amended Claim 10 to recite ... accessing an input signal by a phase generator ...

112 Rejections

The present Office Action indicates that Claims 4, 7-18 and 20 – 23 are rejected as being indefinite for failing to particularly point out and distinctly claim the subject matter which Applicant regard as the invention.

Applicant has amended Claim 4 to recite a first “output” signal.

Applicant has amended Claim 7 to recite a “second” control signal and Claim 1 to recite a “first” control signal.

Applicant has amended Claims 8 and 22 to recite “a” delay time.

Applicant has amended Claim 12 to recite "said" phase detector.

With respect to Claims 10, 15, 16, and 18, Applicant respectfully reasserts that the rejections of the claims reflect an improper application of 35 U.S.C. 112, second paragraph. Applicant respectfully reasserts that claims are not required to specify every element required for enablement if one of ordinary skill in the art would understand. Applicant respectfully reasserts that one of ordinary skill in the art would understand Claims 10, 15, 16, and 18 to particularly point out and distinctly claim the subject matter which Applicant regards as the invention.

102 Rejections

Claims 10, 12 - 17, and 20 - 23 are rejected under 35 U.S.C. 102(b) as being anticipated by Zarate et al. (US 6,937,077). Applicant has reviewed the Zarate et al. reference and, for the following rationale, Applicant respectfully asserts that the present invention is not anticipated nor rendered obvious by the Zarate et al. reference.

Applicant respectfully asserts that the Zarate et al. reference is not directed to the present invention as recited in Claims 10, 12 - 17 and 20-23. Specifically the present invention, as set forth in independent Claim 10 recites in part:

... generating a signal by a phase detector to cause said phase generator to operate in a phase locked loop mode;

To the extent the Zarate et al. reference may show a phase detector 204 [Figure 2] forwarding a control signal 288 indicating the DLL path is locked [Figure 2, Col 8 lines 37 – 40] , Applicant respectfully asserts the Zarate et al. reference does not teach generating a signal by a phase detector (emphasis added) to cause said phase generator to operate in a phase locked loop mode. To the extent the Zarate et al. reference may mention a signal selector 202 is responsible for switching between DLL and PLL modes and does so based upon external clock signal 220 and feedback signal 222 experiencing jitter [Col 7, lines 29 – 39, Col 8 lines 10 – 13 and Col 8 lines 25 – 27], Applicant respectfully asserts the Zarate et al. reference does not teach generating a signal by a phase detector (emphasis added) to cause said phase generator to operate in a phase locked loop mode.

Applicant respectfully asserts Claims 10 - 14 are allowable as depending from allowable independent Claims 10.

Similarly, with respect to Claim 15, Applicant respectfully asserts the Zarate et al. reference does not teach the recited present invention. Specifically the present invention, as set forth in independent Claim 15 recites in part:

... wherein said phase detector generates a control signal for
changing between said first mode and said second mode;

To the extent the Zarate et al. reference may show a phase detector 204 [Figure 2] forwarding a control signal 288 indicating the DLL path is locked [Figure 2, Col 8 lines 37 – 40] , Applicant respectfully asserts the Zarate et al. reference does not teach a phase detector (emphasis added) generates a control signal for changing between a first mode and second mode. To the extent the Zarate et al. reference

may mention a signal selector 202 is responsible for switching between DLL and PLL modes and does so based upon external clock signal 220 and feedback signal 222 experiencing jitter [Col 7, lines 29 – 39, Col 8 lines 10 – 13 and Col 8 lines 25 – 27], Applicant respectfully asserts the Zarate et al. reference does not teach generating a signal by a phase detector (emphasis added) to cause said phase generator to operate in a phase locked loop mode.

103 Rejections

The present Office Action indicates Claims 11 and 18 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Zarate et al. in view of Paakinson et al. (D404227314A). Applicant was not able to locate a Paakinson et al. (D404227314A) reference. To the extent the current Office Action is referring to Paakinson et al (JP404227314A) partially translated and attached to a previous Office Action, Applicant respectfully asserts that the present invention is neither shown nor suggested by the Zarate et al. nor the Paakinson et al. references, alone or together. In addition, Applicant respectfully asserts a person of ordinary skill in the art would not find a motivation or suggestion to combine the teachings of the Zarate et al. and the Paakinson et al. references to teach the present claimed invention.

Applicant respectfully asserts that the present invention is neither shown nor suggested by the Zarate et al. reference for the reasons indicated above. The present Office Action acknowledges that the Zarate

et al. reference fails to teach that each delay block is associated with a multiplexer.

Applicant respectfully asserts that the Paakinson et al. reference does not overcome these and other shortcomings of the Zarate et al. reference. To the extent the Paakinson et al. reference may mention the a multiplexer is formed by forming current switches in a tree which is able to control a delay time through the adjustment of an input resistor RD and the multiplexers having a function of the delay elements are connected in cascade [Abstract/ Constitution], Applicant respectfully asserts the Paakinson et al. reference does not teach coupling each set of said plurality of dynamically controlled delay blocks with the respective multiplexer wherein an output of each of said delay element is an input to said respective multiplexer. To the extent the Paakinson et al. reference may be interpreted as forming internal components of a multiplexer, Applicant respectfully asserts the Paakinson et al. reference does not teach external coupling to a multiplexer.


CONCLUSION

In light of the above-listed amendments and remarks, Applicant respectfully request allowance of the remaining Claims. The examiner is urged to contact Applicant's undersigned representative if the Examiner believes such action would expedite resolution of the present Application.

Respectfully submitted,

WAGNER, MURABITO & HAO

Date: 3/15, 2006

A handwritten signature in black ink, appearing to read 'Anthony C. Murabito', is written over a horizontal line.

Anthony C. Murabito
Reg. No. 35,295

Two North Market Street
Third Floor
San Jose, CA 95113
(408) 938-9060